Amdt. dated September 6, 2005

Reply to Final Office Action of June 6, 2005

This listing of claims replaces all prior versions, and listings of claims in the instant application:

## Listing of Claims:

1-58 (Canceled)

59. (Previously Presented) An application software program, comprising:

an object-oriented, verifiable, type-safe and pointer-safe sequence of instructions residing on a computer-readable medium, said instructions comprising operation codes and operands, said program operable to be loaded to and executed by a resource-constrained device, said instructions previously converted from at least one class file, said conversion transforming at least one reference of at least one of said instructions to a constant pool, to data inlined directly in at least one operand or opcode of said at least one of said instructions.

- 60. (Previously Presented) The software program of claim 59 wherein one or more of said references to said constant pool are transformed into inline data in operands in one or more of said instructions.
- 61. (Previously Presented) The software program of claim 59 wherein one or more of said references to said constant pool are transformed into inline data in operation codes in one or more of said instructions.
- 62. (Previously Presented) The software program of claim 59 wherein said resource-constrained. device is based on a 16-bit processor architecture.

GRINNISON, MERKAY & HODGSON, L.L.P., Garden West Differ Plaza 1900 Garden Road, Suite 220 Manner py, CA 97040 (H31) 645-0880 Pax (M31) 645-0809

Page 2 of 31

Amdt. dated September 6, 2005

Reply to Final Office Action of June 6, 2005

- 63. (Previously Presented) The software program of claim 59 wherein said resource-constrained device is based on an 8-bit processor architecture.
- 64. (Previously Presented) The software program of claim 59 wherein said resource-constrained device comprises a random access memory with a capacity of no more than about 64 kilobytes.
- 65. (Previously Presented) The software program of claim 59 wherein said resource-constrained device comprises a random access memory with a capacity of no more than about 4 kilobytes.
- 66. (Previously Presented) The software program of claim 59 wherein said instructions are configured for execution by a virtual machine running on a microprocessor residing on said resource-constrained device.
- 67. (Previously Presented) The software program of claim 59 wherein said resource-constrained device comprises a smart card.
- 68. (Previously Presented) The software program of claim 59 wherein said resource-constrained device comprises an application-specific integrated circuit (ASIC).
- 69. (Currently Amended) An application software program, comprising:

an object-oriented, verifiable, type-safe and pointer-safe sequence of instructions residing on a computer-readable medium, said instructions comprising operation codes and operands, said program operable to be

GUNNISON, MCKAY & ITODGSINN, L.L.F. Gardon West Office Place 1900 Gardon Road, Saile 220 Meetersy, CA 19140 (201) 655-0820 Fax (831) 635-0888

Amdt. dated September 6, 2005

Reply to Final Office Action of June 6, 2005

loaded to and executed by a resource-constrained device, said instructions previously converted from at least one class file, said instructions comprising at least one composite instruction for performing an operation on a current object, the execution of said at least one composite instruction being functionally equivalent to sequential execution of two or more other instructions.

- 70. (Previously Presented) The software program of claim 69 wherein said resource-constrained device is based on a 16-bit processor architecture.
- 71. (Previously Presented) The software program of claim 69 wherein said resource-constrained device is based, on an 8-bit processor architecture.
- 72. (Previously Presented) The software program of claim 69 wherein said resource-constrained device comprises a random access memory with a capacity of no more than about 64 kilobytes.
- 73. (Previously Presented) The software program of claim 69 wherein said resource-constrained device comprises a random access memory with a capacity of no more than about 4 kilobytes.
- 74. (Previously Presented) The software program of claim 69 wherein said instructions are configured for execution by a virtual machine running on a microprocessor residing on said resource-constrained device.
- 75. (Previously Presented) The software program of claim 69 wherein said resource-constrained device comprises a smart card.

CENNISON, McKAY & BODGSON, LL.P.
Guides Wes Office Plaza
1900 Guides Road, Suite 220
Morrowy, CA 97940
(RD1) 625-0885
For (BU1) 625-0885

- 76. (Previously Presented) The software program of claim 69 wherein said resource-constrained device comprises an application-specific integrated circuit (ASIC).
- 77. (Previously Presented) A resource-constrained device comprising:
  - a memory for storing an application software program comprising an object-oriented, verifiable, type-safe and pointer-safe sequence of instructions, said instructions comprising operation codes and operands, said instructions previously converted from at least one class file, said conversion transforming at least one reference of at least one of said instructions to a constant pool, to data inlined directly in at least one operand or opcode of said at least one of said instructions; and
  - a virtual machine implemented on a microprocessor, said virtual machine configured to execute said sequence of instructions.
- 78. (Previously Presented) The resource-constrained device of claim 77 wherein one or more of said references to said constant pool are transformed into inline data in operands in one or more of said instructions.
- 79. (Previously Presented) The resource-constrained device of claim 77 wherein one or more of said references to said constant pool are transformed into inline data in operation codes in one or more of said instructions.
- 80. (Previously Presented) The resource-constrained device of claim 77 wherein said resource-constrained device is based on a 16-bit processor architecture.

CUNNISON, McKAY & HODESON, L.L.F. Garden West Office Flaza 1900 Garden Roed. Suite 120 Monorry, CA 97940 (ICH) 645-0830 Fax (ICH) 645-0830

Amdt. dated September 6, 2005

Reply to Final Office Action of June 6, 2005

- 81. (Previously Presented) The resource-constrained device of claim 77 wherein said resource-constrained device is based on an 8-bit processor architecture.
- 82. (Previously Presented) The resource-constrained device of claim 77 wherein said resource-constrained device comprises a random access memory with a capacity of no more than about 64 kilo-bytes.
- 83. (Previously Presented) The resource-constrained device of claim 77 wherein said resource-constrained device comprises a random access memory with a capacity of no more than about 4 kilo-bytes.
- 84. (Previously Presented) The resource-constrained device of claim 77 wherein said resource-constrained device comprises a smart card.
- 85. (Previously Presented) The resource-constrained device of claim 77 wherein said resource-constrained device comprises an application-specific integrated circuit (ASIC).
- 86. (Previously Presented) The resource-constrained device of claim 77 wherein said resource-constrained device comprises a Java CardTM technology-enabled smart card.
- 87. (Currently Amended) A resource-constrained device comprising:

a memory for storing an application software program comprising an object-oriented, verifiable, type-safe and pointer-safe sequence of instructions, said instructions comprising operation codes and operands, said instructions previously converted from at least one class file, said instructions comprising at least one composite instruction

CUNNISON, McKAY & HODGSON, L.L.P. Garden Weit Office Place 1990 Garden Road, Sain: 220 Mentersy. CA 92940 (231) 655-0800 Fax (031) 655-0888

Amdt. dated September 6, 2005

Reply to Final Office Action of June 6, 2005

for performing an operation on a current object, <u>the</u> execution of said at least one composite instruction being functionally equivalent to sequential execution of two or more other instructions; and

a virtual machine implemented on a microprocessor, said virtual machine configured to execute said sequence of instructions.

- 88. (Previously Presented) The resource-constrained device of claim 87 wherein said resource-constrained device is based on a 16-bit processor architecture.
- 89. (Previously Presented) The resource-constrained device of claim 87 wherein said resource-constrained device is based on an 8-bit processor architecture.
- 90. (Previously Presented) The resource-constrained device of claim 87 wherein said resource-constrained device comprises a random access memory with a capacity of no more than about 64 kilo-bytes.
- 91. (Previously Presented) The resource-constrained device of claim 87 wherein said resource-constrained device comprises a random access memory with a capacity of no more than about 4 kilo-bytes.
- 92. (Previously Presented) The resource-constrained device of claim 87 wherein said resource-constrained device comprises a smart card.
- 93. (Previously Presented) The resource-constrained device of claim 87 wherein said resource-constrained device comprises an application-specific integrated circuit (ASIC).

CUNNESON, MCKAY & HODGSON, I.-L.P. Garden West Officer Harra 1700 Garden Mend, Saine 220 Manterey, CA 90940 (E31) 255-0880 Fax (331) 635-0888

- 94. (Previously Presented) The resource-constrained device of claim 87 wherein said resource-constrained device comprises a Java CardTM technology-enabled smart card.
- 95. (Previously Presented) A method for using an application software program including an object-oriented, verifiable, type-safe and pointer-safe sequence of instructions, the method comprising:

receiving said software program in a resourceconstrained device having a memory, said instructions
comprising operation codes and operands, said instructions
previously converted from at least one class file, said
conversion transforming at least one reference of at least
one of said instructions to a constant pool, to data
inlined directly in at least one operand or opcode of said
at least one of said instructions; and

executing said sequence of instructions on said resource-constrained device.

- 96. (Previously Presented) The method of claim 95, further comprising accessing said software program over a computer network prior to downloading said program onto said resource-constrained device.
- 97. (Previously Presented) The method of claim 95, further comprising storing said sequence of instructions on said resource-constrained device.
- 98. (Previously Presented) The method of claim 95, further comprising accessing said software program over the Internet prior to downloading said program onto said resource-constrained device.

GUNNTSON, McKAY & HODGSON, L.L.P.
Gardon Wod Office Place
1903 Gardon Road, Selic 220
Monagray, CA 20940
(331) 645-080
Fra (831) 645-088

- 99. (Previously Presented) The method of claim 95, further comprising transforming constant pool indices that appear in the received set of instructions to corresponding data values.
- 100. (Previously Presented) The method of claim 95 wherein one or more of said references to said constant pool are transformed into inline data in operands in one or more of said instructions.
- 101. (Previously Presented) The method of claim 95 wherein one or more of said references to said constant pool are transformed into inline data in operation codes in one or more of said instructions.
- 102. (Previously Presented) The method of claim 95 wherein said resource-constrained device is based on a 16-bit processor architecture.
- 103. (Previously Presented) The method of claim 95 wherein said resource-constrained device is based on an 8-bit processor architecture.
- 104. (Previously Presented) The method of claim 95 wherein said memory comprises a random access memory with a capacity of no more than about 64 kilo-bytes.
- 105. (Previously Presented) The method of claim 95 wherein said memory comprises a random access memory with a capacity of no more than about 4 kilo-bytes.
- 106. (Previously Presented) The method of claim 95 wherein said instructions are configured for execution by a

GUNNISON, MCKAY & 110mGSON, L.L.P. Carden West Officer Plans 1900 Garden Resid, Suite 220 Nepalarry, CA 1940 (201) 655-0820

virtual machine running on a microprocessor residing on said resource-constrained device.

- (Previously Presented) The method of claim 95 wherein said resource-constrained device comprises a smart card.
- (Previously Presented) The method of claim 95 wherein said resource-constrained device comprises an application-specific integrated circuit (ASIC).
- (Previously Presented) A method for using an application software program including an object-oriented, verifiable, type-safe and pointer-safe sequence of instructions, the method comprising:

receiving said software program in a resourceconstrained device having a memory, said instructions comprising operation codes and operands, said instructions previously converted from at least one class file, said instructions comprising at least one composite instruction for performing an operation on a current object, execution of said at least one composite instruction being functionally equivalent to sequential execution of two or more other instructions; and

executing said sequence of instructions on said resource-constrained device.

(Previously Presented) The method of claim 109, 110. further comprising accessing said software program over a computer network prior to downloading said program onto said resource-constrained device.

CUNNISCIN, McKAY & BODGEON, LLLP, Gorden West Office Plaza 900 Gerden Road, Suide ZOP Mometry, CA 97940 (\$31) 845-0870 Fax (\$31) 845-0883

Amdt. dated September 6, 2005

Reply to Final Office Action of June 6, 2005

- 111. (Previously Presented) The method of claim 109, further comprising storing said sequence of instructions on said resource-constrained device.
- 112. (Previously Presented) The method of claim 109, further comprising accessing said software program over the Internet prior to downloading said program onto said resource-constrained device.
- 113. (Previously Presented) The method of claim 109, further comprising transforming constant pool indices that appear in the received set of instructions to corresponding data values.
- 114. (Previously Presented) The method of claim 109 wherein one or more of said references to said constant pool are transformed into inline data in operands in one or more of said instructions.
- 115. (Previously Presented) The method of claim 109 wherein one or more of said references to said constant pool are transformed into inline data in operation codes in one or more of said instructions.
- 116. (Previously Presented) The method of claim 109 wherein said resource-constrained device is based on a 16-bit processor architecture.
- 117. (Previously Presented) The method of claim 109 wherein said resource-constrained device is based on an 8-bit processor architecture.

GUNNISON, McKAY & HODGSON, LLF.
Garder West Office Plazo
1900 Garden Road, Suba 220
Monerty, CA 93940
(RT1) 645-0880
Nos (651) 645-0880

- 118. (Previously Presented) The method of claim 109 wherein said memory comprises a random access memory with a capacity of no more than about 64 kilo-bytes.
- 119. (Previously Presented) The method of claim 109 wherein said memory comprises a random access memory with a capacity of no more than about 4 kilo-bytes.
- 120. (Previously Presented) The method of claim 109 wherein said instructions are configured for execution by a virtual machine running on a microprocessor residing on said resource-constrained device.
- 121. (Previously Presented) The method of claim 109 wherein said resource-constrained device comprises a smart card.
- 122. (Previously Presented) The method of claim 109 wherein said resource-constrained device comprises an application-specific integrated circuit (ASIC).
- 123. (Previously Presented) An apparatus for using an application software program including an object-oriented, verifiable, type-safe and pointer-safe sequence of instructions, the apparatus comprising:

means for receiving said software program in a resource-constrained device having a memory, said instructions comprising operation codes and operands, said instructions previously converted from at least one class file, said conversion transforming at least one reference of at least one of said instructions, to a constant pool, to data inlined directly in at least one operand or opcode of said at least one of said instructions; and

GUNNISÓN, MCKAY & HODGSON, L.L.F. Gurden Well Office Placa 1900 Garden Road, Saile 220 Mouterey, CA 39340 (E31) 655-0880 Fin (L31) 655-0828

Amdt. dated September 6, 2005

Reply to Final Office Action of June 6, 2005

means for executing said sequence of instructions on said resource-constrained device.

- (Previously Presented) The apparatus of claim 123, 124. further comprising means for accessing said software programover a computer network prior to downloading said program onto said resource-constrained device.
- (Previously Presented) The apparatus of claim 123, 125. further comprising means for storing said sequence of instructions on said resource-constrained device.
- (Previously Presented) The apparatus of claim 123, 126. further comprising means for accessing said software program over the Internet prior to downloading said program onto said resource-constrained device.
- (Previously Presented) The apparatus of claim 123, further comprising means for transforming constant pool indices that appear in the received set of instructions to corresponding data values.
- (Previously Presented) The apparatus of claim 123 128. wherein one or more of said references to said constant pool are transformed into inline data in operands in one or more of said instructions.
- (Previously Presented) The apparatus of claim 123 wherein one or more of said references to said constant pool are transformed into inline data in operation codes in one or more of said instructions.

Amdt. dated September 6, 2005

Reply to Final Office Action of June 6, 2005

- 130. (Previously Presented) The apparatus of claim 123 wherein said resource-constrained device is based on a 16-bit processor architecture.
- 131. (Previously Presented) The apparatus of claim 123 wherein said resource-constrained device is based on an 8-bit processor architecture.
- 132. (Previously Presented) The apparatus of claim 123 wherein said memory comprises a random access memory with a capacity of no more than about 64 kilo-bytes.
- 133. (Previously Presented) The apparatus of claim 123 wherein said memory comprises a random access memory with a capacity of no more than about 4 kilo-bytes.
- 134. (Previously Presented) The apparatus of claim 123 wherein said instructions are configured for execution by a virtual machine running on a microprocessor residing on said resource-constrained device.
- 135. (Previously Presented) The apparatus of claim 123 wherein said resource-constrained device comprises a smart card.
- 136. (Previously Presented) The apparatus of claim 123 wherein said resource-constrained device comprises an application-specific integrated circuit (ASIC).
- 137. (Previously Presented) An apparatus for using an application software program including an object-oriented, verifiable, type-safe and pointer-safe sequence of instructions, the apparatus comprising:

CUNNISON, Makay & HODGEON, LL.P. Gordon Wet Office Plaza 1900 Gardon Rand, Suise 220 Maustey, CA 93340 (131) 653-0110 Fax (831) 655-0848

## **BEST AVAILABLE COPY**

Appl. No. 09/243,101

Amdt. dated September 6, 2005

Reply to Final Office Action of June 6, 2005

means for receiving said software program in a resource-constrained device having a memory, said instructions comprising operation codes and operands, said instructions previously converted from at least one class file, said instructions comprising at least one composite instruction for performing an operation on a current object, execution of said at least one composite instruction being functionally equivalent to sequential execution of two or more other instructions; and

means for executing said sequence of instructions on said resource-comstrained device.

- 138. (Previously Presented) The apparatus of claim 137, further comprising means for accessing said software program over a computer network prior to downloading said program onto said resource-constrained device.
- 139. (Previously Presented) The apparatus of claim 137, further comprising means for storing said sequence of instructions on said resource-constrained device.
- 140. (Previously Presented) The apparatus of claim 137, further comprising means for accessing said software program over the Internet prior to downloading said program onto said resource-constrained device.
- 141. (Previously Presented) The apparatus of claim 137, further comprising means for transforming constant pool indices that appear in the received set of instructions to corresponding data values.
- 142. (Previously Presented) The apparatus of claim 137 wherein one or more of said references to said constant pool

GUNNISON, MCKAY & JHODGSON, Z.-L.P. Garder West Officer Mora 1900 Garder Read, Suite 220 Momercy, CA 97940 (KT) 635-0810 Sw. (\$71) 635-0808

Page 15 of 31

Amdt. dated September 6, 2005

Reply to Final Office Action of June 6, 2005

are transformed into inline data in operands in one or more of said instructions.

- 143. (Previously Presented) The apparatus of claim 137 wherein one or more of said references to said constant pool are transformed into inline data in operation codes in one or more of said instructions.
- 144. (Previously Presented) The apparatus of claim 137 wherein said resource-constrained device is based on a 16-bit processor architecture.
- 145. (Previously Presented) The apparatus of claim 137 wherein said resource-constrained device is based on an 8-bit processor architecture.
- 146. (Previously Presented) The apparatus of claim 137 wherein said memory comprises a random access memory with a capacity of no more than about 64 kilo-bytes.
- 147. (Previously Presented) The apparatus of claim 137 wherein said memory comprises a random access memory with a capacity of no more than about 4 kilo-bytes.
- 148. (Previously Presented) The apparatus of claim 137 wherein said instructions are configured for execution by a virtual machine running on a microprocessor residing on said resource-constrained device.
- 149. (Previously Presented) The apparatus of claim 137 wherein said resource-constrained device comprises a smart card.

CUNNISON, MCKAY & 110DGSON, LLLP.
Gurden West Office Place
1900 Garden Resel. Saile 220
Morrerey, CA 97340
(N31) 655-0680
Fig. [10] ) 655-0688

150. (Previously Presented) The apparatus of claim 137 wherein said resource-constrained device comprises an application-specific integrated circuit (ASIC).

GUNNISON, MCKAY & 1100GSON, L.L.P. Gurden West Office Place 1988 Garden Rosel, Sarier 220 Memory, CA 97940 (1071) 625-1980